## <u>Duty to Communicate Information on Substances in Articles\* according</u> <u>to REACH directive</u>

I.Company:\_\_\_\_\_ Contact:\_\_\_\_\_

II.Phone/e-mail:\_\_\_\_\_

III.Product detail(s):

Item No	Item Name	Gross weight (kg)
230010	Skrivplatta A4 Enkel Svart	6.4
230001	Skrivplatta A4 Enkel Blå	6.4
231010	Skrivplatta A4 Dubbel Svart	12.6
231001	Skrivplatta A4 Dubbel Blå	12.6
435204	Signalficka A4 PP 170 Micron 100 Pack Vit	23.9
435203	Signalficka A4 PP 170 Micron 100 Pack Röd	23.9
435205	Signalficka A4 PP 170 Micron 100 Pack Gul	23.9
435202	Signalficka A4 PP 170 Micron 100 Pack Grön	23.9
435201	Signalficka A4 PP 170 Micron 100 Pack Blå	23.9
435109	Signalficka A4 PP 120 Micron 100 Pack Vit	17.37
435107	Signalficka A4 PP 120 Micron 100 Pack Röd	17.37
435108	Signalficka A4 PP 120 Micron 100 Pack Gul	17.37
435200	Signalficka A4 PP 120 Micron 100 Pack Grön	17.37
435106	Signalficka A4 PP 120 Micron 100 Pack Blå	17.37
435104	Signalficka A4 PP 105 Micron 100 Pack Vit	15.31
435103	Signalficka A4 PP 105 Micron 100 Pack Röd	15.31
435101	Signalficka A4 PP 105 Micron 100 Pack Gul	15.31
435105	Signalficka A4 PP 105 Micron 100 Pack Grön	15.31
435102	Signalficka A4 PP 105 Micron 100 Pack Blå	15.31
436108	Plastficka A4 60 Mikron 25 Pack	5.3
436008	Plastficka A4 60 Mikron 100 Pack	5.2
436208	Plastficka A4 60 Mikron 10 Pack	2.8
432008	Plastficka A4 40 Mikron 50 Pack	7.5
430008	Plastficka A4 40 Mikron 100 Pack	7.5

435008	Kontorsmapp A4 10 Pack Transparent	11.3
435099	Kontorsmapp A4 10 Pack Sorterade Färger	11.3
416807	Jan-Dec Register i PP	14
416007	A-Ö Register i PP	16.5
419100	5 Delat Färgregister i PP	11.3
419200	10 Delat Färgregister i PP	12
416107	1-5 Register i PP	11.3
416707	1-31 Register i PP	22.8
416307	1-20 Register i PP	15
416407	1-12 Register i PP	14
416207	1-10 Register i PP	12

Herewith we confirm that the article\* mentioned above and all its packaging material does not contain any SVHC by weight of the individual material/component.

or

Herewith we confirm that the article<sup>\*</sup> mentioned above and all its packaging materials

contains <u>SVHC</u> by weight of the material/component and the detail is shown in Annex 1.a

Article\*/ Articles\* means the every single component for submitted whole sample.

Confirmed by : \_\_\_\_\_

2024-Dec-25

(Authorized, Position, Company Chop & Date)

Annex 1

Chemical Name in English <sup>1</sup> CAS No.	Threshold limit	SVHC lower than 0.1%? (per component weight)	SVHC more than 0.1%? Result (per component weight):
--	--------------------	--	---

				••••
10	117-81-7	weight)		
10	Bis (2-ethylhexyl)phthalate (DEHP)	0.1% (by component		
	81-15-2			••••••
	xylene)	weight)		
9	5-tert-butyl-2,4,6-trinitro-m-xylene (musk	0.1% (by component		
	7789-12-0 (dihydrate) 10588-01-9 (anhydrous)			•••••
o		weight)		
8	Sodium dichromate	0.1% (by component		
	1327-53-3	weight)		
7	Diarsenic trioxide	0.1% (by component		
				••••••
	1303-28-2	weight)		
6	Diarsenic pentaoxide	0.1% (by component		
				•••••
5	7646-79-9	weight)		
5	Cobalt dichloride	0.1% (by component		
	84-74-2	weight)		•••••
4	Dibutyl phthalate (DBP)	0.1% (by component		
				•••••
	101-77-9	weight)		
3	4,4'-Diaminodiphenylmethane (MDA)	0.1% (by component	Π	
	120-12-7	weight)		•••••
2	Anthracene 120-12-7	0.1% (by component		
	A - 11	0.40/ //		
	10000-30-0			
1	Triethyl arsenate 15606-95-8	0.1% (by component weight)		

11	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane 3194-55-6 (1,2,5,6,9,10-hexabromo cyclododecane) 25637-99-4 (HBCDD isomer )	0.1% (by component weight)	
	α - HBCDD, 134237-50-6 β - HBCDD, 134237-51-7 γ - HBCDD, 134237-52-8		
12	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) 85535-84-8	0.1% (by component weight)	
13	Bis(tributyltin)oxide (TBTO) 56-35-9	0.1% (by component weight)	•••••
14	Lead hydrogen arsenate 7784-40-9	0.1% (by component weight)	•••••
15	Benzyl butyl phthalate (BBP) 85-68-7	0.1% (by component weight)	•••••
16	2,4-Dinitrotoluene 121-14-2	0.1% (by component weight)	••••••
17	Anthracene oil 90640-80-5	0.1% (by component weight)	••••••
18	Anthracene oil, Athracene paste, distn. Lights 91995-17-4	0.1% (by component weight)	

19	Anthracene oil, Athracene paste, Anthracene fraction 91995-15-2	0.1% (by component weight)	•••••
20	Anthracene oil, anthracene-low 90640-82-7	0.1% (by component weight)	
21	Anthracene oil, Anthracene paste 90640-81-6	0.1% (by component weight)	•••••
22	Diisobutyl phthalate (DIBP) 84-69-5	0.1% (by component weight)	
23	Aluminosilicate, Refractory Ceramic Fibres -	0.1% (by component weight)	
24	Zirconia Aluminosilicate, Refractory Ceramic Fibres -	0.1% (by component weight)	
25	Lead chromate 7758-97-6	0.1% (by component weight)	
26	Lead chromate molybdate sulfate red (C.I. Pigment Red 104) 12656-85-8	0.1% (by component weight)	
27	Lead sulfochromate yellow (C.I. Pigment Yellow 34) 1344-37-2	0.1% (by component weight)	
28	Tris(2-chloroethyl)phosphate 115-96-8	0.1% (by component weight)	
29	Coal tar pitch, high temperature 65996-93-2	0.1% (by component weight)	

30	Acrylamide	0.1% (by component		
	79-06-1	weight)		
				••••
31	Trichloroethylene	0.1% (by component		
	79-01-6	weight)	_	
				••••••••
32	Boric acid	0.1% (by component		
	10043-35-3,	weight)		•••••
	11113-50-1			
33	Disodium tetraborate, anhydrous	0.1% (by component		
	Disodium tetraborate decahydrate	weight)		••••
	Disodium tetraborate pentahydrate			
	1330-43-4,			
	1303-96-4,			
	12179-04-3			
34	Tetraboron disodium heptaoxide, hydrate	0.1% (by component		
	12267-73-1	weight)		••••
35	Sodium chromate	0.1% (by component		
	7775-11-3	weight)		•••••
36	Potassium chromate	0.1% (by component		
	7789-00-6	weight)		•••••
37	Ammonium dichromate	0.1% (by component		
	7789-09-5	weight)		••••
38	Potassium dichromate	0.1% (by component		
	7778-50-9	weight)		••••
39	Cobalt (II) sulphate	0.1% (by component		
	10124-43-3	weight)		•••••
40	Cobalt(II) dinitrate	0.1% (by component		
	10141-05-6	weight)		

41	Cobalt(II) carbonate 513-79-1	0.1% (by component weight)	
			•••••••
42	Cobalt(II) diacetate	0.1% (by component	
	71-48-7	weight)	•••••
43	2-Methoxyethanol	0.1% (by component	
	109-86-4	weight)	••••••
44	2-Ethoxyethanol	0.1% (by component	
	110-80-5	weight)	••••••
45	Chromium trioxide	0.1% (by component	
	(Trioxochromium)	weight)	
	1333-82-0		•••••••
46	Acids generated from chromium trioxide	0.1% (by component	
	and their oligomers:	weight)	•••••
	Chromic acid		
	Dichromic acid		
	Oligomers of chromic acid and dichromic		
	acid		
	7738-94-5		
	13530-68-2		
	-		
47	1,2-Benzenedicarboxylic	0.1% (by component	
	acid, di-C6-8-branched alkyl	weight)	••••••
	esters, C7-rich (DIHP)		
	71888-89-6		
48	1,2,3-trichloropropane	0.1% (by component	
	96-18-4	weight)	
49	N-methyl-2-pyrrolidone;	0.1% (by component	
	1-methyl-2-pyrrolidone	weight)	•••••
	872-50-4		

50	Hydrazine 302-01-2, 7803-57-8	0.1% (by component weight)	
51	1,2-Benzenedicarboxylic	0.1% (by component	
	acid, di-C7-11-branched and	weight)	••••
	linear alkyl esters (DHNUP)		
	68515-42-4		
52	Strontium chromate	0.1% (by component	
	7789-06-2	weight)	
53	2-Ethoxyethyl acetate	0.1% (by component	
	111-15-9	weight)	•••••
54	Dichromium tris(chromate)	0.1% (by component	
	24613-89-6	weight)	•••••
55	Potassium	0.1% (by component	
	hydroxyoctaoxodizincatedichromate	weight)	
	11103-86-9		
56	Pentazinc chromate octahydroxide	0.1% (by component	
	49663-84-5	weight)	
57	Formaldehyde, oligomeric reaction	0.1% (by component	
	products with aniline (technical MDA)	weight)	•••••
	25214-70-4		
58	Bis(2-methoxyethyl) phthalate	0.1% (by component	
	117-82-8	weight)	
59	2-Methoxyaniline; o-Anisidine	0.1% (by component	
	90-04-0	weight)	•••••
60	4-(1,1,3,3-tetramethylbutyl)phenol	0.1% (by component	
	140-66-9	weight)	

61	1,2-Dichloroethane; ethylene dichloride 107-06-2	0.1% (by component weight)	
62	Bis(2-methoxyethyl) ether 111-96-6	0.1% (by component weight)	
63	Arsenic acid 7778-39-4	0.1% (by component weight)	
64	Calcium arsenate 7778-44-1	0.1% (by component weight)	
65	Trilead diarsenate 3687-31-8	0.1% (by component weight)	
66	N,N-dimethylacetamide (DMAC) 127-19-5	0.1% (by component weight)	
67	2,2'-dichloro-4,4'-methylenedianiline (MOCA) 101-14-4	0.1% (by component weight)	
68	Phenolphthalein 77-09-8	0.1% (by component weight)	•••••
69	Lead diazide; Lead azide 13424-46-9	0.1% (by component weight)	
70	Lead styphnate 15245-44-0	0.1% (by component weight)	
71	Lead dipicrate 6477-64-1	0.1% (by component weight)	
72	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme) 112-49-2	0.1% (by component weight)	•••••

73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) 110-71-4	0.1% (by component weight)	
74	Diboron trioxide 1303-86-2	0.1% (by component weight)	•••••
75	Formamide 75-12-7	0.1% (by component weight)	•••••
76	Lead(II) bis(methanesulfonate) 17570-76-2	0.1% (by component weight)	•••••
77	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2, 4,6(1H,3H,5H)-trione) 2451-62-9	0.1% (by component weight)	•••••
78	β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-( 1H,3H,5H)-trione) 59653-74-6	0.1% (by component weight)	•••••
79	4,4'-bis(dimethylamino)benzophenone (Michler's ketone) 90-94-8	0.1% (by component weight)	••••••
80	N,N,N',N'-tetramethyl-4,4'-methylenedianili ne (Michler's base) 101-61-1	0.1% (by component weight)	•••••
81	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylid ene]dimethylammonium chloride (C.I. Basic Violet 3) 548-62-9	0.1% (by component weight)	••••••

82	[4-[[4-anilino-1-naphthyl]][4-(dimethylamino )phenyl]methylene]cyclohexa-2,5-dien-1-yl idene] dimethylammonium chloride (C.I. Basic Blue 26) 2580-56-5	0.1% (by component weight)	•••••
83	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) 6786-83-0	0.1% (by component weight)	
84	4,4'-bis(dimethylamino)-4''-(methylamino)tr ityl alcohol 561-41-1	0.1% (by component weight)	
85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE) 1163-19-5	0.1% (by component weight)	
86	Pentacosafluorotridecanoic acid 72629-94-8	0.1% (by component weight)	
87	Tricosafluorododecanoic acid 307-55-1	0.1% (by component weight)	•••••
88	Henicosafluoroundecanoic acid 2058-94-8	0.1% (by component weight)	
89	Heptacosafluorotetradecanoic acid 376-06-7	0.1% (by component weight)	
90	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) 123-77-3	0.1% (by component weight)	

91	Cyclohexane-1,2-dicarboxylic anhydride	0.1% (by component		
	[1],	weight)		
	cis-cyclohexane-1,2-dicarboxylic			••••
	anhydride [2],			
	trans-cyclohexane-1,2-dicarboxylic			
	anhydride [3]			
	[The individual cis- [2] and trans- [3] isomer			
	substances and all possible combinations			
	of the cis- and trans-isomers [1] are			
	covered by this entry].			
	85-42-7,			
	13149-00-3,			
	14166-21-3			
92	Hexahydromethylphthalic anhydride [1],	0.1% (by component		
	Hexahydro-4-methylphthalic anhydride [2],	weight)		•••••
	Hexahydro-1-methylphthalic anhydride [3],			
	Hexahydro-3-methylphthalic anhydride			
	[4]			
	[The individual isomers [2], [3] and [4]			
	(including their cis- and trans- stereo			
	isomeric forms) and all possible			
	combinations of the isomers [1] are			
	covered by this entry]			
	25550-51-0,			
	19438-60-9,			
	48122-14-1,			
	57110-29-9	1	1	

93	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	0.1% (by component weight)	•••••
94	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	0.1% (by component weight)	•••••
95	Methoxy acetic acid 625-45-6	0.1% (by component weight)	
96	N,N-dimethylformamide; dimethyl formamide 68-12-2	0.1% (by component weight)	•••••
97	Dibutyltin dichloride (DBTC) 683-18-1	0.1% (by component weight)	•••••
98	Lead oxide (lead monoxide) 1317-36-8	0.1% (by component weight)	••••••
99	Lead tetroxide (orange lead) 1314-41-6	0.1% (by component weight)	••••••
100	Lead bis(tetrafluoroborate) 13814-96-5	0.1% (by component weight)	

101	Trilead bis(carbonate)dihydroxide (basic lead carbonate) 1319-46-6	0.1% (by component weight)	••••
102	Lead titanium trioxide 12060-00-3	0.1% (by component weight)	•••••
103	Lead titanium zirconium oxide 12626-81-2	0.1% (by component weight)	•••••
104	Silicic acid, lead salt 11120-22-2	0.1% (by component weight)	•••••
105	Silicic acid (H2Si2O5), barium salt (1:1), lead-doped	0.1% (by component weight)	•••••
	[with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008] 68784-75-8		
106	1-bromopropane (n-propyl bromide) 106-94-5	0.1% (by component weight)	•••••
107	Methyloxirane (Propylene oxide) 75-56-9	0.1% (by component weight)	
108	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear 84777-06-0	0.1% (by component weight)	•••••

109	Diisopentylphthalate (DIPP)	0.1% (by component	
	605-50-5	weight)	
		(inclusion)	••••
110	N-pentyl-isopentylphthalate (iPnPP)	0.1% (by component	
	776297-69-9	weight)	
			••••
111	1,2-Diethoxyethane	0.1% (by component	
	629-14-1	weight)	
			*********
112	Acetic acid, lead salt, basic	0.1% (by component	
	51404-69-4	weight)	
113	Lead oxide sulphate	0.1% (by component	
	12036-76-9	weight)	
114	[Phthalato(2-)]dioxotrilead (Dibasic lead	0.1% (by component	
	phthalate)	weight)	
	69011-06-9		
115	Dioxobis(stearato)trilead	0.1% (by component	
	12578-12-0	weight)	
116	Fatty acids, C16-18, lead salts	0.1% (by component	
	91031-62-8	weight)	
117	Lead cynamidate	0.1% (by component	
	20837-86-9	weight)	
118	Lead dinitrate	0.1% (by component	
	10099-74-8	weight)	
119	Pentalead tetraoxide sulphate	0.1% (by component	
	12065-90-6	weight)	
120	Pyrochlore, antimony lead yellow	0.1% (by component	
	8012-00-8	weight)	

121	Sulfurous acid, lead salt, dibasic 62229-08-7	0.1% (by component weight)	
122	Tetraethyllead 78-00-2	0.1% (by component weight)	•••••
123	Tetralead trioxide sulphate 12202-17-4	0.1% (by component weight)	•••••
124	Trilead dioxide phosphonate 12141-20-7	0.1% (by component weight)	•••••
125	Furan 110-00-9	0.1% (by component weight)	•••••
126	Diethyl sulphate 64-67-5	0.1% (by component weight)	••••••
127	Dimethyl sulphate 77-78-1	0.1% (by component weight)	•••••
128	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxa zolidine 143860-04-2	0.1% (by component weight)	•••••
129	Dinoseb (6-sec-butyl-2,4-dinitrophenol) 88-85-7	0.1% (by component weight)	•••••
130	4,4'-methylenedi-o-toluidine 838-88-0	0.1% (by component weight)	
131	4,4'-oxydianiline and its salts 101-80-4	0.1% (by component weight)	
132	4-aminoazobenzene 60-09-3	0.1% (by component weight)	

133	4-methyl-m-phenylenediamine	0.1% (by component	
	(2,4-toluene-diamine)	weight)	
	95-80-7		••••
134	6-methoxy-m-toluidine (p-cresidine)	0.1% (by component	
	120-71-8	weight)	
135	Biphenyl-4-ylamine	0.1% (by component	
	92-67-1	weight)	
136	o-aminoazotoluene	0.1% (by component	
	[(4-o-tolylazo-o-toluidine])	weight)	
	97-56-3		
137	o-toluidine	0.1% (by component	
	95-53-4	weight)	
138	N-methylacetamide	0.1% (by component	
	79-16-3	weight)	••••
139	Cadmium	0.1% (by component	
	7440-43-9	weight)	
140	Cadmium oxide	0.1% (by component	
	1306-19-0	weight)	••••••
141	Dipentul apthelete (DDD)	0.1% (by companyed	
141	Dipentyl phthalate (DPP)	0.1% (by component	
	131-18-0	weight)	•••••

142	4-Nonylphenol, branched and linear, ethoxylated	0.1% (by component weight)	
143	[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof] Ammonium pentadecafluorooctanoate (APFO) 3825-26-1	0.1% (by component weight)	•••••
144	Pentadecafluorooctanoic acid (PFOA) 335-67-1	0.1% (by component weight)	
145	Cadmium sulphide 1306-23-6	0.1% (by component weight)	•••••
146	Dihexyl phthalate(DHP) 84-75-3	0.1% (by component weight)	
147	Disodium 3,3'-[[1,1'-biphenyl]-4,4'- diylbis(azo)]bis(4-aminonaphthalene- 1-sulphonate) (C.I. Direct Red 28) 573-58-0	0.1% (by component weight)	•••••
148	Disodium 4-amino-3-[[4'-[(2,4- diaminophenyl)azo][1,1'-biphenyl]-4- yl]azo] -5-hydroxy-6- (phenylazo)naphthalene-2,7- disulphonate (C.I. Direct Black 38) 1937-37-7	0.1% (by component weight)	•••••
149	Imidazolidine-2-thione 96-45-7	0.1% (by component weight)	
150	Lead di(acetate) 301-04-2	0.1% (by component weight)	

151	Trixylyl phosphate	0.1% (by component		
	25155-23-1	weight)		
				•••
152	1,2-Benzenedicarboxylic acid, dihexyl	0.1% (by component		
	ester, branched and linear	weight)		
	68515-50-4			
153	Sodium perborate; perboric acid, sodium	0.1% (by component		
	salt	weight)		••••
	-			
154	Sodium peroxometaborate	0.1% (by component		
	7632-04-4	weight)		••••
155	Cadmium chloride;	0.1% (by component		
	10108-64-2	weight)		•••
156	Cadmium fluoride	0.1% (by component		
150	7790-79-6	weight)		
	//90-/9-0	weight)		•••••
157	Cadmium sulphate	0.1% (by component		
	10124-36-4; 31119-53-6	weight)	_	
				•••••
158	2-benzotriazol-2-yl-4,6-di-tert-butylphenol	0.1% (by component		
	(UV-320)	weight)		••••
	3846-71-7			
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylph	0.1% (by component		
	enol (UV-328)	weight)		•••••
	25973-55-1			
160	2-ethylhexyl	0.1% (by component		
	10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-	weight)		•••••
	4-stannatetradecanoate (DOTE)			
	15571-58-1			

	,, <b>, , , , , , , , , , , , , , , , , ,</b>		
161	reaction mass of 2-ethylhexyl	0.1% (by component	
	10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-	weight)	••••
	4-stannatetradecanoate and 2-ethylhexyl		
	10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoeth		
	yl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-sta		
	nnatetradecanoate (reaction mass of		
	DOTE and MOTE)		
162	1,2-benzenedicarboxylic acid,	0.1% (by component	
	di-C6-10-alkyl esters;	weight)	
	1,2-benzenedicarboxylic acid, mixed decyl		
	and hexyl and octyl diesters with $\geq 0.3\%$ of		••••
	dihexyl phthalate (EC No. 201-559-5)		
	68515-51-5,		
	68648-93-1		
	(271-094-0, 272-013-1)		
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1	0.1% (by component	
	-yl)-5-methyl-1,3-dioxane [1],	weight)	
	5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1		•••••
	-yl)-5-methyl-1,3-dioxane [2] [covering any		
	of the individual isomers of [1] and [2] or		
	any combination thereof]		
164	1,3-propanesultone	0.1% (by component	
	1120-71-4	weight)	
			 •••••
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl	0.1% (by component	
	)phenol (UV-327)	weight)	
	3864-99-1		 
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(se	0.1% (by component	
	c-butyl)phenol	weight)	
	(UV-350)		
	36437-37-3		
167	Nitrobenzene	0.1% (by component	
	98-95-3	weight)	

168	Perfluorononan-1-oic acid (2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadeca fluorononanoic acid and its sodium and ammonium salts 375-95-1 21049-39-8 4149-60-4	0.1% (by component weight)	
169	Benzo[def]chrysene (Benzo[a]pyrene) 50-32-8	0.1% (by component weight)	
170	4,4'-isopropylidenediphenol (Bisphenol A, BPA) 80-05-7 (201-245-8)	0.1% (by component weight)	
171	Nonadecaflurodecanoic acid (PFDA) and its sodium and ammonium salts 335-76-2, 3830-45-3, 3108-42-7 (206-400-3, -, 221-470-5)	0.1% (by component weight)	•••••
172	p-(1,1-dimethylpropyl)phenol (pentylphenol, PTAP) 80-46-6 (201-280-9)	0.1% (by component weight)	•••••
173	4-Heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB-and well-defined substances which include any of the individual isomers or a combination thereof]	0.1% (by component weight)	•••••

174	Perfluorohexane-1-sulphonic acid and its salts	0.1% (by component weight)	
175	Chrysene 218-01-9	0.1% (by component weight)	
176	Benz[a]anthracene 56-55-3	0.1% (by component weight)	•••••
177	Cadmium nitrate 10325-94-7	0.1% (by component weight)	
178	Cadmium hydroxide 21041-95-2	0.1% (by component weight)	
179	Cadmium carbonate 513-78-0	0.1% (by component weight)	
180	1,6,7,8,9,14,15,16,17,17,18,18- Dodecachloropentacyclo[12.2.1.16,9.02,1 3.05,10]octadeca-7,15-diene ("Dechlorane Plus"TM) [covering any of its individual anti- and syn-isomers or any combination thereof]	0.1% (by component weight)	•••••
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear	0.1% (by component weight)	•••••
182	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (trimellitic anhydride) (TMA) 552-30-7 (209-008-0)	0.1% (by component weight)	•••••
183	Dicyclohexyl phthalate (DCHP) 84-61-7 (201-545-9)	0.1% (by component weight)	
184	Ethylenediamine (EDA) 107-15-3 (203-468-6)	0.1% (by component weight)	

105	Tempenul hudro repeted	0.10/ ///	_	
185	Terphenyl hydrogenated	0.1% (by component		
	61788-32-7	weight)		•••••
	(262-967-7)			
186	Benzo[ghi]perylene	0.1% (by component		
	191-24-2	weight)		•••••
	(205-883-8)			
187	Disodium octaborate	0.1% (by component		
	12008-41-2	weight)		•••••
	(234-541-0)			
188	Lead	0.1% (by component		
	7439-92-1	weight)		
	(231-100-4)			
189	Dodecamethylcyclohexasiloxane (D6)	0.1% (by component		
	540-97-6	weight)		
	(208-762-8)			
190	Decamethylcyclopentasiloxane (D5)	0.1% (by component		
	541-02-6	weight)		
	(208-764-9)			
191	Octamethylcyclotetrasiloxane (D4)	0.1% (by component		
	556-67-2	weight)		
	(209-136-7)			
192	2,2-bis(4'-hydroxyphenyl)-4-methylpentan	0.1% (by component		
	е	weight)		
	6807-17-6			
	(401-720-1)			
193	1,7,7-trimethyl-3-(phenylmethylene)bicyclo	0.1% (by component		
	[2.2.1]heptan-2-one (3-benzylidene	weight)		
	camphor)			••••••
	15087-24-8			
	(239-139-9)			
194	Benzo[k]fluoranthene	0.1% (by component		
	207-08-9	weight)		
	(205-916-6)			••••••
195	Fluoranthene	0.1% (by component		
	206-44-0	weight)		
	(205-912-4)			••••
		1	1	1

196	Phenanthrene	0.1% (by component		
	85-01-8	weight)		
	(201-581-5)			••••••
197	Pyrene	0.1% (by component		
	129-00-0	weight)		
	(204-927-3)			•••
198	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)p	0.1% (by component		
	ropionic acid, its salts and its acyl halides	weight)		
	(covering any of their individual isomers			••••
	and combinations thereof)			
199	2-methoxyethyl acetate	0.1% (by component		
	110-49-6	weight)		
	(203-772-9)			••••
200	Tris(4-nonylphenyl, branched and linear)	0.1% (by component		
	phosphite (TNPP) with ≥ 0.1% w/w of	weight)	—	
	4-nonylphenol, branched and linear (4-NP)			•••••
201	4-tert-butylphenols (PTBP)	0.1% (by component		
		weight)	_	
				•••••
202	Diisohexyl phthalate	0.1% (by component		
	(71850-09-4)	weight)		•••
203	2-benzyl-2-dimethylamino-4'-morpholinobu	0.1% (by component		
	tyrophenone	weight)		••••
00.1	(119313-12-1)			
204	2-methyl-1-(4-methylthiophenyl)-2-morpho	0.1% (by component		
	linopropan-1-one	weight)		
00-	(71868-10-5)			
205	Perfluorobutane sulfonic acid (PFBS) and	0.1% (by component		
	its salts	weight)		•••••
206		0.1% (by component		
200	1-vinylimidazole	weight)		
	(1072-63-5)	weight		•••••
207		0.1% (by component		
	2-methylimidazole	weight)		
	(693-98-1)			••••

208	Dibutylbis(pentane-2,4-dionato-O,O')tin (22673-19-4)	0.1% (by component weight)	•••••
209	Butyl 4-hydroxybenzoate (94-26-8)	0.1% (by component weight)	•••••
210	Bis(2-(2-methoxyethoxy)ethyl) ether 143-24-8 (205-594-7)	0.1% (by component weight)	•••••
211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	0.1% (by component weight)	••••
212	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	0.1% (by component weight)	•••••
213	Orthoboric acid, sodium salt (*2) (*5) 13840-56-7	0.1% (by component weight)	•••••
214	2,2-bis(bromomethyl)propane1,3-diol (BMP) 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)- 1-propanol (TBNPA) 2,3-dibromo-1-propanol (2,3-DBPA) 3296-90-0, 36483-57-5/ 1522-92-5, 96-13-9	0.1% (by component weight)	••••
215	Glutaral 111-30-8	0.1% (by component weight)	
216	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	0.1% (by component weight)	••••

217	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	0.1% (by component weight)	•••••
218	1,4-dioxane 123-91-1	0.1% (by component weight)	
219	4,4'-(1-methylpropylidene)bisphenol 77-40-7	0.1% (by component weight)	
220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)met hylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof ( (4-MBC)	0.1% (by component weight)	
221	Endocrine disrupting properties (Article 57(f) - human health) 119-47-1	0.1% (by component weight)	••••
222	S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate 255881-94-8	0.1% (by component weight)	
223	Tris(2-methoxyethoxy)vinylsilane 1067-53-4	0.1% (by component weight)	•••••
224	N-(hydroxymethyl)acrylamide 924-42-5	0.1% (by component weight)	•••••
225	1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribro mobenzene] – BTBPE 37853-59-1	0.1% (by component weight)	•••••
226	2,2',6,6'-tetrabromo-4,4'-isopropylidenedip henol 79-94-7	0.1% (by component weight)	

227	4,4'-sulphonyldiphenol 80-09-1	0.1% (by component weight)	
228	Barium diboron tetraoxide 13701-59-2	0.1% (by component weight)	•••••
229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	0.1% (by component weight)	
230	Isobutyl 4-hydroxybenzoate 4247-02-3	0.1% (by component weight)	
231	Melamine 108-78-1	0.1% (by component weight)	•••••
232	Perfluoroheptanoic acid and its salts	0.1% (by component weight)	•••••
233	reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3- heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropr opyl)morpholine	0.1% (by component weight)	
234	Bis(4-chlorophenyl) sulphone(BCPS) 80-07-9 (201-247-9)	0.1% (by component weight)	•••••
235	Diphenyl(2,4,6-trimethylbenzoyl)phosphin e oxide 75980-60-8 (278-355-8)	0.1% (by component weight)	

<sup>1</sup> Please provide the Safety Data Sheet (SDS) for individual ingredient if available.

<sup>2</sup> Assumed to be 100% active if not specified.

Confirmed by : \_\_\_\_\_\_ 2024-Dec-25

(Authorized, Position, Company Chop & Date)